

Green Wall Solutions

Our innovative green wall solutions offer a flexible and innovative solution for your fitout.

Frenchams can assist with creating an integrated and custom green wall to meet your design requirements.



frenchams.com.au
13 000 PLANT | 13 000 75268

Modular Green Wall

The Modular Green Wall is a flexible system which transforms a blank wall into a feature live green wall. Frenchams can supply install and maintain this green wall for a fraction of the cost of some other green wall solutions.

Benefits of a Modular Green Wall


- Australian designed & manufactured
- No plumbing or drainage required
- Retrofittable design
- Modular & flexible
- Low water use
- Acoustic dampener
- Boosts employee morale
- Improves office air quality
- Creates feature walls

- Inbuilt self watering reservoir.
- Each module accommodates 3 x 120mm Dia pots plants (to be provided under separate contract).

Construction Notes

Allowance:	
First row	220mm H
Consecutive rows	198mm H
Clearance from top row to ceiling	300mm H

Technical Specifications



- 198mm H x 180mm W x 400mm L

Installation

Frenchams to adhere pre-drilled 12mm laminated backing board to Client's wall to specified size. Green Wall modules are then screwed onto the backing board.

Following which the plants will be installed. Installation is subject to site inspection and consultation with Client and/or Client contractor. Contact us for a detailed quote.



Green Wall Solutions

Modular Green Wall



Grid Wall Frame



Green Wall Grid Frame

The Green Wall Frame is a flexible system which transforms a blank wall into a feature live green wall.

Benefits of a Modular Green Wall

The frames can be located in various locations to achieve different outcomes:

- To transform blank walls to green feature.
- Placed at ends of workstations as visual screens.
- Form free standing green walls to define spaces.
- Relocatable to suit flexible workspaces.

Construction Notes

Frames include a removable 60kg black or white pebbles in a gabion tray.

There are fixing points provided to the rear and base of the frame for connection to wall/ceiling/floor as required for additional stability.

Frames can be placed side by side for a continuous look – fastening these together is recommended. Contact us for a detailed quote.

Technical Specifications

- Frames available in 3 height sizes:
1935mm H x 970mm W x 210mm D
2200mm H x 970mm W x 210mm D
2670mm H x 970mm W x 210mm D
- Frames sizes can be modified in height and width to suit custom sizes – subject to existing grid.
- Frames have a powdercoat finish - available in black / white or custom colour as required.
- Green wall pots available in black / white or terracotta colour (pots and plants are under separate contract):
 - 1935m H frame holds 20 plants;
 - 2200 H frame holds 25 plants;
 - 2670 H frame holds 30 plants.

